



SAFETY DATA SHEET

Cola®Dry CR-502

According to Appendix D, OSHA Hazard Communication Standard 29 CFR §1910.1200

1. Identification

Product identifier

Product name Cola®Dry CR-502

Recommended use of the chemical and restrictions on use

Application Surfactant

Uses advised against No specific uses advised against are identified.

Details of the supplier of the safety data sheet

Manufacturer Colonial Chemical, Inc.
225 Colonial Drive
South Pittsburg, TN 37380
U.S.A.
+1 (423) 837-8800

Emergency telephone number

Emergency telephone Toll free (in USA, Canada, Puerto Rico, Virgin Islands only): 1-800-424-9300
Direct dial: +1 703-527-3887

2. Hazard(s) identification

Classification of the substance or mixture

Physical hazards Not Classified

Health hazards Eye Irrit. 2A - H319

Environmental hazards Aquatic Acute 3 - H402

Label elements

Hazard symbols



Signal word Warning

Hazard statements H319 Causes serious eye irritation.
H402 Harmful to aquatic life.

Precautionary statements P264 Wash contaminated skin thoroughly after handling.
P273 Avoid release to the environment.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+P313 If eye irritation persists: Get medical advice/ attention.
P501 Dispose of contents/ container in accordance with national regulations.

Other hazards

Cola®Dry CR-502

This product does not contain any substances classified as PBT or vPvB.

3. Composition/information on ingredients

Mixtures

1H-Imidazolium, 1-ethyl-2-(8-heptadecen-1-yl)-4,5-dihydro-3-(2-hydroxyethyl)-, ethyl sulfate (1:1)	1-5%
CAS number: 68039-12-3	
Classification Skin Irrit. 2 - H315 Eye Irrit. 2A - H319	
2-butoxyethanol	1-5%
CAS number: 111-76-2	
Classification Acute Tox. 4 - H302 Acute Tox. 4 - H312 Acute Tox. 4 - H332 Skin Irrit. 2 - H315 Eye Irrit. 2A - H319	
Docosate sodium	1-5%
CAS number: 577-11-7	
Classification Skin Irrit. 2 - H315 Eye Dam. 1 - H318	
2-[2-[2-(dodecyloxy)ethoxy]ethoxy]ethanol	<1%
CAS number: 3055-94-5	
M factor (Acute) = 1	
Classification Eye Dam. 1 - H318 Aquatic Acute 1 - H400	
ethanediol	<0.1%
CAS number: 107-21-1	
Classification Acute Tox. 4 - H302	

Cola®Dry CR-502

1,4-dioxane	<0.001%
CAS number: 123-91-1	
Classification	
Flam. Liq. 2 - H225	
Eye Irrit. 2A - H319	
Carc. 2 - H351	
STOT SE 3 - H335	
ethylene oxide	<0.001%
CAS number: 75-21-8	
Classification	
Flam. Gas 1 - H220	
Acute Tox. 3 - H331	
Skin Irrit. 2 - H315	
Eye Irrit. 2A - H319	
Muta. 1B - H340	
Carc. 1B - H350	
STOT SE 3 - H335	

The full text for all hazard statements is displayed in Section 16.

Composition comments * The identity or exact percentage is withheld as a trade secret.

4. First-aid measures

Description of first aid measures

General information	Get medical attention if any discomfort continues. Show this Safety Data Sheet to the medical personnel.
Inhalation	Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Loosen tight clothing such as collar, tie or belt. Get medical attention if symptoms are severe or persist.
Ingestion	Rinse mouth thoroughly with water. Get medical advice/attention if you feel unwell. Do not induce vomiting unless under the direction of medical personnel.
Skin Contact	Rinse with water.
Eye contact	Rinse with water. Do not rub eye. Remove any contact lenses and open eyelids wide apart. Get medical attention if any discomfort continues.
Protection of first aiders	First aid personnel should wear appropriate protective equipment during any rescue.

Most important symptoms and effects, both acute and delayed

General information	The severity of the symptoms described will vary dependent on the concentration and the length of exposure.
Inhalation	No specific symptoms known.
Ingestion	No specific symptoms known.
Skin contact	No specific symptoms known.
Eye contact	Irritating to eyes.

Indication of immediate medical attention and special treatment needed

Cola®Dry CR-502

Notes for the doctor Treat symptomatically.

5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media The product is not flammable. Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog. Use fire-extinguishing media suitable for the surrounding fire.

Unsuitable extinguishing media Do not use water jet as an extinguisher, as this will spread the fire.

Special hazards arising from the substance or mixture

Specific hazards Containers can burst violently or explode when heated, due to excessive pressure build-up.

Hazardous combustion products Thermal decomposition or combustion products may include the following substances: Harmful gases or vapors.

Advice for firefighters

Protective actions during firefighting Avoid breathing fire gases or vapors. Evacuate area. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk. Cool containers exposed to flames with water until well after the fire is out. If a leak or spill has not ignited, use water spray to disperse vapors and protect men stopping the leak. Control run-off water by containing and keeping it out of sewers and watercourses. If risk of water pollution occurs, notify appropriate authorities.

Special protective equipment for firefighters Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Standard Firefighter's clothing including helmets, protective boots and gloves will provide a basic level of protection for chemical incidents.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions Wear protective clothing as described in Section 8 of this safety data sheet. No action shall be taken without appropriate training or involving any personal risk. Do not touch or walk into spilled material.

Environmental precautions

Environmental precautions Avoid discharge into drains or watercourses or onto the ground.

Methods and material for containment and cleaning up

Methods for cleaning up Wear protective clothing as described in Section 8 of this safety data sheet. Clear up spills immediately and dispose of waste safely. Small Spillages: Collect spillage. Large Spillages: Absorb spillage with non-combustible, absorbent material. The contaminated absorbent may pose the same hazard as the spilled material. Collect and place in suitable waste disposal containers and seal securely. Label the containers containing waste and contaminated materials and remove from the area as soon as possible. Flush contaminated area with plenty of water. Wash thoroughly after dealing with a spillage. For waste disposal, see Section 13.

Reference to other sections For personal protection, see Section 8. See Section 11 for additional information on health hazards. See Section 12 for additional information on ecological hazards. For waste disposal, see Section 13.

7. Handling and storage

Precautions for safe handling

Cola®Dry CR-502

Usage precautions Read and follow manufacturer's recommendations. Wear protective clothing as described in Section 8 of this safety data sheet. Keep away from food, drink and animal feeding stuffs. Handle all packages and containers carefully to minimize spills. Keep container tightly sealed when not in use. Avoid the formation of mists.

Advice on general occupational hygiene Wash promptly if skin becomes contaminated. Take off contaminated clothing and wash before reuse. Wash contaminated clothing before reuse.

Conditions for safe storage, including any incompatibilities

Storage precautions Store away from incompatible materials (see Section 10). Keep only in the original container. Keep container tightly closed, in a cool, well ventilated place. Keep containers upright. Protect containers from damage.

Storage class Chemical storage.

Specific end uses(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.

8. Exposure controls/Personal protection

Control parameters

Occupational exposure limits

2-butoxyethanol

Long-term exposure limit (8-hour TWA): OSHA 50 ppm 240 mg/m³
Sk

Long-term exposure limit (8-hour TWA): ACGIH 20 ppm 97 mg/m³
A3

ethanediol

Ceiling exposure limit: ACGIH 100 mg/m³ Aerosol
A4

1,4-dioxane

Long-term exposure limit (8-hour TWA): ACGIH 20 ppm 72 mg/m³
A3, Sk

Long-term exposure limit (8-hour TWA): OSHA 100 ppm 360 mg/m³
Sk

ethylene oxide

Long-term exposure limit (8-hour TWA): ACGIH 1 ppm 1.8 mg/m³
A2

Long-term exposure limit (8-hour TWA): OSHA 1 ppm

Short-term exposure limit (15-minute): OSHA 5 ppm

OSHA = Occupational Safety and Health Administration.

ACGIH = American Conference of Governmental Industrial Hygienists.

Sk = Danger of cutaneous absorption.

A4 = Not Classifiable as a Human Carcinogen.

A3 = Confirmed Animal Carcinogen with Unknown Relevance to Humans.

A2 = Suspected Human Carcinogen.

2-butoxyethanol (CAS: 111-76-2)

Immediate danger to life and health 700 ppm

1,4-dioxane (CAS: 123-91-1)

Cola®Dry CR-502

Immediate danger to life and health 500 ppm

ethylene oxide (CAS: 75-21-8)

Immediate danger to life and health 800 ppm

Exposure controls

Protective equipment



Appropriate engineering controls

Provide adequate ventilation. Observe any occupational exposure limits for the product or ingredients.

Eye/face protection

Wear tight-fitting, chemical splash goggles or face shield. If inhalation hazards exist, a full-face respirator may be required instead.

Hand protection

No specific hand protection recommended.

Other skin and body protection

Wear appropriate clothing to prevent repeated or prolonged skin contact.

Hygiene measures

Wash after use and before eating, smoking and using the toilet. Do not eat, drink or smoke when using this product.

Respiratory protection

Ensure all respiratory protective equipment is suitable for its intended use and is NIOSH approved. Check that the respirator fits tightly and the filter is changed regularly. Gas and combination filter cartridges should comply with OSHA 1910.134. Full face mask respirators with replaceable filter cartridges should comply with OSHA 1910.134. Half mask and quarter mask respirators with replaceable filter cartridges should comply with OSHA 1910.134.

Environmental exposure controls

Keep container tightly sealed when not in use.

9. Physical and chemical properties

Information on basic physical and chemical properties

Appearance	Clear liquid.
pH (as is):	6.0 - 7.0
Initial boiling point and range	Not available.
Flash point	> 94°C/201.2°F
Evaporation rate	Not available.
Flammability (solid, gas)	Not applicable. Product is a liquid.
Relative density	1.015 @ 25°C
Solubility(ies)	Completely soluble in water.
Partition coefficient	Not available.
Auto-ignition temperature	Not available.
Decomposition Temperature	Not available.
Viscosity	15 cP @ 25°C

Cola®Dry CR-502

Explosive properties	Not considered to be explosive.
Oxidizing properties	Does not meet the criteria for classification as oxidizing.
Volatile organic compound	Not available.
Surface Tension	Not available.
% Solids	Not available.

10. Stability and reactivity

Reactivity	See the other subsections of this section for further details.
Stability	Stable at normal ambient temperatures and when used as recommended. Stable under the prescribed storage conditions.
Possibility of hazardous reactions	No potentially hazardous reactions known.
Conditions to avoid	There are no known conditions that are likely to result in a hazardous situation.
Materials to avoid	No specific material or group of materials is likely to react with the product to produce a hazardous situation.
Hazardous decomposition products	Does not decompose when used and stored as recommended. Thermal decomposition or combustion products may include the following substances: Harmful gases or vapors.

11. Toxicological information

Information on toxicological effects

Acute toxicity - oral

Notes (oral LD₅₀) Based on available data the classification criteria are not met.

ATE oral (mg/kg) 20,181.63

Acute toxicity - dermal

Notes (dermal LD₅₀) Based on available data the classification criteria are not met.

ATE dermal (mg/kg) 44,399.6

Acute toxicity - inhalation

Notes (inhalation LC₅₀) Based on available data the classification criteria are not met.

ATE inhalation (dusts/mists mg/l) 60.54

Skin corrosion/irritation

Animal data Based on available data the classification criteria are not met.

Serious eye damage/irritation

Serious eye damage/irritation Causes serious eye irritation.

Respiratory sensitization

Respiratory sensitization Based on available data the classification criteria are not met.

Skin sensitization

Skin sensitization Based on available data the classification criteria are not met.

Germ cell mutagenicity

Cola®Dry CR-502

Genotoxicity - in vitro	Based on available data the classification criteria are not met.
<u>Carcinogenicity</u>	
Carcinogenicity	Based on available data the classification criteria are not met.
IARC carcinogenicity	Contains a substance/a group of substances which may cause cancer. IARC Group 1 Carcinogenic to humans.
<u>Reproductive toxicity</u>	
Reproductive toxicity - fertility	Based on available data the classification criteria are not met.
Reproductive toxicity - development	Based on available data the classification criteria are not met.
<u>Specific target organ toxicity - single exposure</u>	
STOT - single exposure	Not classified as a specific target organ toxicant after a single exposure.
<u>Specific target organ toxicity - repeated exposure</u>	
STOT - repeated exposure	Not classified as a specific target organ toxicant after repeated exposure.
<u>Aspiration hazard</u>	
Aspiration hazard	Based on available data the classification criteria are not met.
General information	The severity of the symptoms described will vary dependent on the concentration and the length of exposure.
Inhalation	No specific symptoms known.
Ingestion	No specific symptoms known.
Skin Contact	No specific symptoms known.
Eye contact	Irritating to eyes.
Route of exposure	Ingestion Inhalation Skin and/or eye contact
Target Organs	No specific target organs known.
12. Ecological information	
Ecotoxicity	Not regarded as dangerous for the environment. However, large or frequent spills may have hazardous effects on the environment.
Toxicity	Based on available data the classification criteria are not met.
<u>Persistence and degradability</u>	
Persistence and degradability	The degradability of the product is not known.
<u>Bioaccumulative potential</u>	
Bio-Accumulative Potential	No data available on bioaccumulation.
Partition coefficient	Not available.
<u>Mobility in soil</u>	
Mobility	No data available.
<u>Other adverse effects</u>	
Other adverse effects	None known.

Cola®Dry CR-502

13. Disposal considerations

Waste treatment methods

General information

The generation of waste should be minimized or avoided wherever possible. Reuse or recycle products wherever possible. This material and its container must be disposed of in a safe way. When handling waste, the safety precautions applying to handling of the product should be considered. Care should be taken when handling emptied containers that have not been thoroughly cleaned or rinsed out. Empty containers or liners may retain some product residues and hence be potentially hazardous.

Disposal methods

Do not empty into drains.

14. Transport information

General

Not regulated.

15. Regulatory information

US Federal Regulations

SARA Section 302 Extremely Hazardous Substances Tier II Threshold Planning Quantities

The following ingredients are listed or exempt:

ethylene oxide

EPCRA 302 TPQ 1000 lbs Tier II TPQ 500 lbs

CERCLA/Superfund, Hazardous Substances/Reportable Quantities (EPA)

The following ingredients are listed or exempt:

1,4-dioxane

Final CERCLA RQ: 100(45.4) pounds (Kilograms)

ethylene oxide

Final CERCLA RQ: 10(4.54) pounds (Kilograms)

ethanediol

Final CERCLA RQ: 5000(2270) pounds (Kilograms)

SARA Extremely Hazardous Substances EPCRA Reportable Quantities

None of the ingredients are listed or exempt.

SARA 313 Emission Reporting

The following ingredients are listed or exempt:

1,4-dioxane

0.1 %

ethylene oxide

0.1 %

2-butoxyethanol

1.0 %

ethanediol

1.0 %

CAA Accidental Release Prevention

The following ingredients are listed or exempt:

ethylene oxide

Threshold Quantity: 10000 lbs

Cola®Dry CR-502

FDA - Essential Chemical

None of the ingredients are listed or exempt.

FDA - Precursor Chemical

None of the ingredients are listed or exempt.

SARA (311/312) Hazard Categories

None of the ingredients are listed or exempt.

OSHA Highly Hazardous Chemicals

The following ingredients are listed or exempt:

ethylene oxide

Threshold Quantity: 5000 lbs

US State Regulations

California Proposition 65 Carcinogens and Reproductive Toxins

The following ingredients are listed or exempt:

1,4-dioxane

Carcinogen.

ethylene oxide

Carcinogen, developmental toxin and reproductive toxin.

ethanediol

Developmental toxin.

California Air Toxics "Hot Spots" (A-I)

The following ingredients are listed or exempt:

1,4-dioxane

ethylene oxide

2-butoxyethanol

ethanediol

California Air Toxics "Hot Spots" (A-II)

None of the ingredients are listed or exempt.

California Directors List of Hazardous Substances

The following ingredients are listed or exempt:

1,4-dioxane

ethylene oxide

2-butoxyethanol

ethanediol

Massachusetts "Right To Know" List

The following ingredients are listed or exempt:

1,4-dioxane

ethylene oxide

2-butoxyethanol

ethanediol

Cola®Dry CR-502

Rhode Island "Right To Know" List

The following ingredients are listed or exempt:

Propane-1,2-diol

1,4-dioxane

ethylene oxide

2-butoxyethanol

ethanediol

Minnesota "Right To Know" List

The following ingredients are listed or exempt:

Propane-1,2-diol

1,4-dioxane

ethylene oxide

2-butoxyethanol

ethanediol

New Jersey "Right To Know" List

The following ingredients are listed or exempt:

Propane-1,2-diol

1,4-dioxane

ethylene oxide

2-butoxyethanol

ethanediol

Pennsylvania "Right To Know" List

The following ingredients are listed or exempt:

Propane-1,2-diol

1,4-dioxane

ethylene oxide

2-butoxyethanol

ethanediol

Inventories

EU - REACH Not registered.

Canada - DSL/NDSL

All the ingredients are listed or exempt.
NDSL

US - TSCA

All the ingredients are listed or exempt.

US - TSCA 12(b) Export Notification

The following ingredients are listed or exempt:

octamethylcyclotetrasiloxane

Australia - AICS

All the ingredients are listed or exempt.

Cola®Dry CR-502

Japan - ENCS

Not listed.

Korea - KECI

Not listed.

China - IECSC

All the ingredients are listed or exempt.

China - IECIC

Not listed.

Philippines - PICCS

Not listed.

New Zealand - NZIOC

All the ingredients are listed or exempt.

Taiwan - TCSI

All the ingredients are listed or exempt.

16. Other information

Abbreviations and acronyms used in the safety data sheet TDG: The transport of dangerous goods act

IATA: International air transport association.

ICAO: Technical instructions for the safe transport of dangerous goods by air.

IMDG: International maritime dangerous goods.

CAS: Chemical abstracts service.

ATE: Acute toxicity estimate.

LC₅₀: Lethal concentration to 50 % of a test population.

LD₅₀: Lethal dose to 50% of a test population (median lethal dose).

EC₅₀: 50% of maximal effective concentration.

PBT: Persistent, bioaccumulative and toxic substance.

vPvB: Very persistent and very bioaccumulative.

Classification abbreviations and acronyms Eye Irrit. = Eye irritation

Training advice Only trained personnel should use this material.

Revision date 8/7/2020

Revision 1

SDS No. 6403

Cola®Dry CR-502

Hazard statements in full

H220 Extremely flammable gas.
H225 Highly flammable liquid and vapor.
H302 Harmful if swallowed.
H312 Harmful in contact with skin.
H315 Causes skin irritation.
H318 Causes serious eye damage.
H319 Causes serious eye irritation.
H331 Toxic if inhaled.
H332 Harmful if inhaled.
H335 May cause respiratory irritation.
H340 May cause genetic defects.
H350 May cause cancer.
H351 Suspected of causing cancer.
H400 Very toxic to aquatic life.
H402 Harmful to aquatic life.

End of SDS

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.