



Ready to go,
Ready to last.

**High-Performance
Additives**
for Metalworking Fluids
and Industrial Lubricants



**Colonial
Chemical**



For over thirty years, Colonial Chemical has provided a broad range of performance additives for metalworking fluids and industrial lubricant applications, each developed to address one or more performance requirements of specific equipment or processes, environmental and regulatory requirements and budget targets. Colonial Chemical's quality additives enable the metalworking fluids to create an effective barrier between metal surfaces and corrosive environments and are used to formulate neat oils, soluble oil, semi-synthetic and full synthetic metalworking fluids.

Utilizing competitive R&D technology and processes, Colonial Chemical has developed breakthrough, leading-edge chemistries that benefit both developers and end-users and provide cost-saving, flexible alternatives to conventional chemistry. Our chemists and engineers blend years of experience in additive manufacturing to deliver products that meet customer's demands for performance, quality, flexibility, and fast delivery for broad-range performance additives.

Ready to work.

Metalworking fluids play pivotal roles in the metalworking process: lubrication, cooling, chip removal, corrosion and rust prevention, increasing tool life, and improving surface integrity and finish. Through the years, development of metalworking fluids has been becoming increasingly complex and constantly facing the challenges brought forward by:

- The shrinking toolbox of enabling additive technologies
- Stringent government regulation for health, safety, and environment
- Increased machining on high-strength ferrous and non-ferrous materials
- Reduced sump size and footprints and high-pressure fluid application
- Demanding corrosion and wear protection for tools and workpieces
- Cost effectiveness of participating chemistries
- High expectation for fluid marketability
- Waste treatment and/or fluid recycling

As a global leading technology provider for metalworking fluids and industrial lubricants, Colonial Chemical provides a broad range of high-performance additives to allow the metalworking fluid formulation community to address those perceived challenges and deliver modern, cost-effective, and water-dilutable metalworking fluids (i.e., soluble oils, semi-synthetic, and synthetic fluids) to meet the evolving regulatory and machining challenges. Branded as Cola®Cor, Cola®Zoline, Cola®Lube, Cola®Fax, and Cola®Carb, Colonial's additive chemistries offer performance in corrosion protection, boundary lubrication, extreme pressure (EP) wear protection, emulsification, lime-soap dispersing, and surface wetting. They have been widely used in metalworking, metal treatment and protection fluids, metal cleaners, greases, fuel additives, general corrosion controls, equipment corrosion protection in oil and gas, enhanced oil recovery, paints and coatings, and other industrial lubricants.

Colonial's high-performance metalworking fluid additive portfolio features:

- Multifunctionality
- Hard water tolerance
- Low foaming tendency
- Easy handling and formulating
- Environmental friendliness



Corrosion Inhibitors

Corrosion inhibitors are one of the most important and widely used additives in metalworking, treating, protecting, and other general applications. Cola®Cor products encompass a broad class of organic film-forming corrosion inhibitors including:

- Acylamidocarboxylates
- Amine Carboxylates
- Amine Borates and Amine Phosphates
- Phosphate Esters
- Arylsulfonamidocarboxylic Acids
- Alkanolamides
- Imidazolines

In addition to their core performance for corrosion protection, some of these corrosion inhibitors also provide performance in emulsification and lubrication.

Product Name	Ionic Character	Solubility	Chemistry, Properties and Performance Attributes	Applications
Acylamidocarboxylates				
Cola®Cor 186	Anionic	Water Soluble upon neutralization	• Acylamidocarboxylic acids • In free acid form • Offers formulation flexibility • Needs to be neutralized with alkanolamines and aqueous alkali hydroxides at your choice prior to use • Low-foaming corrosion inhibitor • Offers multimetal protection	• Metalworking fluids (emulsions, semi-synthetic, synthetic) • Rolling emulsions • Mild alkaline metal cleaners • Water-based hydraulic fluids
Cola®Cor IT	Anionic	Water Soluble	• Alkanolamine-neutralized acylamidocarboxylic acids • Water soluble • Stable in hard water up to approx. 1000ppm CaCO₃ • Most effective on ferrous metals and in an alkaline solution • Free of GHS hazard labels	• Metalworking fluids • Rolling emulsions • Water-based hydraulic fluids • Alkaline metal cleaners
Cola®Cor 372	Anionic	Water Soluble upon neutralization	• CHA solubilized acylamidocarboxylic acids • Multi-metal corrosion inhibitor • Needs to be neutralized with alkanolamines or metal hydroxides • Used for magnesium, steel, and aluminum protection • Reduces cobalt leaching • Low foaming and hard-water stable	• Metalworking fluids (emulsions, semi-synthetic, synthetic) • Rolling emulsions • Mild alkaline metal cleaners • Fire-resistant hydraulic fluids (HFAE, HFAS) • Polymer quenchants • Anywhere corrosion inhibitors are needed
Cola®Cor 215	Anionic	Water Soluble	• Optimized blend of carboxylic acids including acylamidocarboxylic acids • Alkanolamine neutralized • Water soluble • Corrosion protection for aluminum and ferrous metals • Hard water stable at 300 – 400 ppm	• Synthetic, semi-synthetic, and soluble oil metalworking formulations • Machining coolants • General machining: threading, tapping, cutting, grinding fluids • Alkaline metal cleaners
Cola®Cor 298	Anionic	Water Soluble	• Optimized blend of carboxylic acids including acylamidocarboxylic acids • Alkanolamine neutralized • Corrosion inhibitor primarily for ferrous metals but non-aggressive toward non-ferrous materials • Low-foaming • Hard water stable – over 500 ppm • Prevents flash rusting	• Synthetic, semi-synthetic, and soluble oil metalworking formulations • Machining coolants, general machining - cutting, grinding fluids, threading, and tapping • Metal cleaners • Metal paint primer

Product Name	Ionic Character	Solubility	Chemistry, Properties and Performance Attributes	Applications
Corrosion Inhibitors - Amine Carboxylates				
Cola®Cor 300	Anionic	Water Soluble	• Alkanolamine neutralized carboxylic acids • Low foaming • Water-soluble corrosion inhibitor • Excellent tolerance to water hardness (>1000 PPM)	• Water-dilutable metalworking fluids • Metal cleaners
Cola®Cor 400	Anionic	Water Soluble	• Blend of alkanolamine neutralized dibasic carboxylic acids and phosphate esters • Very low-foaming corrosion inhibitor for ferrous and non-ferrous materials • Hard water tolerance • Prevents flash rusting • Improves lubricity	• Water-dilutable metalworking fluids • Detergents • Low foam alkaline spray washes • Aerosol applications
Cola®Cor 500	Anionic	Water Soluble	• Blend of alkanolamine neutralized mono- and di-carboxylic acids • Water-soluble, non-foaming corrosion inhibitor for cast iron and steel alloy • Hard water tolerance • Protects ferrous and non-ferrous metals • Lubricating, wetting and spreading properties	• Water-based metal working fluid formulations • Forming and drawing compounds • Useful in water/glycol or other water based hydraulic fluids • Alkaline hard surface cleaners

Product Name	Ionic Character	Solubility	Chemistry, Properties and Performance Attributes	Applications
Corrosion Inhibitors - Amine Borates and Amine Phosphates				
Cola®Cor EDP	Anionic	Water Soluble	• Polyamine phosphates • Non-foaming • Corrosion inhibitor for metalworking fluids for ferrous and non-ferrous metals in the liquid and vapor phase • Offers extreme pressure wear protection	• Metalworking fluids • Unreactive type fire retardant additives for polymers and plastics • Cement curing retardant • Extreme pressure lubricant • Aerosol can corrosion inhibitor • Plastics flame retardant • Cement curing retardant
Cola®Cor RP	Anionic	Water Soluble	• Optimized blend of alkanolamine borates • Non-foaming • Corrosion inhibitor for cast iron, steel, and nonferrous metals such as aluminum and copper • Recommended as a replacement for sodium nitrite especially in cutting and grinding fluids • Extremely effective corrosion inhibitor for aerosol formulations	• Water-dilutable metalworking fluids: Cutting and grinding fluids • Alkaline cleaners • Final rinsing fluids

Product Name	Ionic Character	Solubility	Chemistry, Properties and Performance Attributes	Applications
Corrosion Inhibitors - Fatty Alkanolamides				
Cola®Cor 600B	Nonionic	Oil Soluble	- Fatty acid-DEA alkanolamide based aerosol corrosion inhibitor and emulsifier blend - Especially useful in preventing corrosion in water-based aerosols by forming a stable water-in-oil emulsion	Corrosion inhibitor for aerosol formulations for no or low VOC content products
Cola®Cor 635	Nonionic	Oil Soluble	- DEA-free fatty acid alkanolamides - Used as a corrosion inhibitor, lubricant, and secondary emulsifier - Offers superior corrosion protection and lubrication properties - Increase emulsion stability, corrosion protection, hard water stability, and storage life	Synthetic, semi-synthetic, soluble oil metalworking fluids

Product Name	Ionic Character	Solubility	Chemistry, Properties and Performance Attributes	Applications
Corrosion Inhibitors - Phosphate Esters				
Cola®Cor ACI	Anionic	Water Soluble	- Short-chain alkoxylate phosphate esters - In free acid form - Needs to be neutralized with alkali metal hydroxides or alkanolamines - Corrosion inhibitor for aluminum and ferrous materials - Very low-foaming - Fully water soluble upon neutralization with alkali hydroxides or alkanolamines - Prevents aluminum staining at a pH up to 9.3 - Offers sufficient protection at very low concentrations - Compatible with and synergistic to other corrosion inhibitors	- Synthetic and semi-synthetic metalworking fluids - Alkaline metal cleaners
Cola®Cor KAT	Anionic	Water Soluble	- Phosphate ester blend - In a sodium salt form - Water-soluble corrosion inhibitor for ferrous and non-ferrous metals, i.e. aluminum - Offers corrosion protection for yellow metals including copper, brass, and bronze in alkaline environments - Highly-efficient antistatic agent - Can serve as an emulsifier	- Metal cleaners - Manufacturing of polyester, polypropylene, polyamide or acrylic staple fibers - In-Can corrosion inhibition
Cola®Cor 900	Anionic	Oil Soluble	- Branched alkyl phosphate esters - In acid form - Needs be neutralized to maintain the emulsion characteristics - Used as a corrosion inhibitor on aluminum alloys and cast aluminum - Readily used in soluble oil formulas or coupled into water-based products such as synthetics and semi-synthetics - Effective in metalworking formulas with a pH range of 8.5-9.5 - Effective EP/AW additives	- Soluble oil, semi-synthetics, and synthetic metalworking fluids - Gear oils

Product Name	Ionic Character	Solubility	Chemistry, Properties and Performance Attributes	Applications
Corrosion Inhibitors - Imidazolines				
Cola®Cor 93	Cationic	Oil Soluble	• Based on long-chain imidazolines • Ashless, non-staining corrosion inhibitor • Provides long lasting rust protection even under severe conditions • Serves as a detergent in fuel additives	• Rust preventatives • Hydraulic oils • Drawing compounds • Rolling oils • Fuel additives • Other industrial lubricants
Cola®Cor C-56	Cationic	Water Soluble	• Quaternarized medium-chain imidazolines • Water-soluble cationic corrosion inhibitor concentrate • Clay stabilizing agent • Soluble in light brines and dispersible in very heavy brines	• Continuous treatment in oil and gas production • Designed for pumps, headers, separators, emulsion treaters, tanks, regulators, compressors, dehydrators, valves and associated equipment • Enhanced oil recovery in acidizing, fracturing and sand control applications
Cola®Cor 100	Ampho-teric	Water Soluble	• Based on short-chain imidazolines • Water-soluble corrosion inhibitor • Applicable for acid or alkaline conditions • Provides resistance against flash rusting in cleaning and metallic applications • Contributes to detergency	• Various metalworking fluids • Detergent applications • Aerosol applications
Cola®Zoline C	Nonionic	Oil Soluble	• Oil soluble, short to medium-chain fatty acid imidazole corrosion inhibitor or precursor • Readily soluble in polar solvents and in hydrocarbons but relatively insoluble in water • Can easily be converted to cationic agents offering performance in wetting, emulsifying, detergency, thickening, moisture displacing, corrosion inhibiting, and antistatic effects	• Agricultural emulsions • Industrial cleaners • Paints and coatings • Plastics • Oil and gas, fiberglass treatment
Cola®Zoline LM	Nonionic	Oil Soluble	• Oil soluble, medium-chain fatty acid imidazoline corrosion inhibitor or precursor • Readily soluble in polar solvents and in hydrocarbons but relatively insoluble in water • Can easily be converted to cationic agents offering performance in wetting, emulsifying, detergency, thickening, moisture displacing, corrosion inhibiting, and antistatic effects	• Agricultural emulsions • Industrial cleaners • Paints and coatings • Plastics • Oil and gas
Cola®Zoline O	Nonionic	Oil Soluble	• Neutral, oil soluble, long-chain fatty acid AEEA imidazole corrosion inhibitor or precursor • Readily soluble in polar solvents and in hydrocarbons but relatively insoluble in water • Can easily be converted to cationic agents offering performance in wetting, emulsifying, detergency, thickening, moisture displacing, corrosion inhibiting, and anti-static effects	• Agricultural emulsions • Industrial cleaners • Paints and coatings • Plastics • Oil and gas

Corrosion Inhibitors - Imidazolines

Cola®Zoline OD2	Nonionic	Oil Soluble	• 2:1 oleic acid / DETA imidazoline corrosion inhibitor or precursor • Readily soluble in polar solvents and in hydrocarbons but relatively insoluble in water • Can easily be converted to cationic agents offering performance in wetting, emulsifying, detergency, thickening, moisture displacing, corrosion inhibiting, and antistatic effects	• Agricultural emulsions • Industrial cleaners • Paints and coatings • Plastics • Oil and gas • Water treatment
Cola®Zoline T	Nonionic	Oil Soluble	• Oil soluble, long-chain fatty acid imidazoline corrosion inhibitor or precursor • Readily soluble in polar solvents and in hydrocarbons but relatively insoluble in water • Can easily be converted to cationic agents offering performance in wetting, emulsifying, detergency, thickening, moisture displacing, corrosion inhibiting, and antistatic effects	• Agricultural emulsions • Industrial cleaners • Paints and coatings • Plastics • Oil and gas
Cola®Zoline TD	Nonionic	Oil Soluble	• 1:1 TOFA- DETA imidazoline corrosion inhibitor or precursor • Readily soluble in polar solvents and in hydrocarbons but relatively insoluble in water • Can easily be converted to cationic agents offering performance in wetting, emulsifying, detergency, thickening, moisture displacing, corrosion inhibiting, and antistatic effects	• Agricultural emulsions • Industrial cleaners • Paints and coatings • Plastics • Oil and gas • Water treatment
Cola®Zoline VS	Nonionic	Oil Soluble	• 1:1 Blended fatty acid- DETA imidazoline corrosion inhibitor or precursor • Readily soluble in polar solvents and in hydrocarbons but relatively insoluble in water • Can easily be converted to cationic agents offering performance in wetting, emulsifying, detergency, thickening, moisture displacing, corrosion inhibiting, and antistatic effects	• Agricultural emulsions • Industrial cleaners • Paints and coatings • Plastics • Oil and gas • Water treatment

Lubricity Additives

Lubricity additives, also known as boundary lubricants or boundary lubricity additives, enhance the lubricity of the fluid by adsorbing on the metal surface to form a film, reducing metal-to-metal friction. These additives typically have a polar group that interacts with metal and tail that is compatible with mineral oil or water.

Colonial's boundary lubricants consist of fatty alkanolamides and complex fatty esters. In alkanolamides, Colonial offers DEA-, DIPA-, and non-secondary amine-based alkanolamides.

Product Name	Ionic Character	Solubility	Chemistry, Properties and Performance Attributes	Applications
Lubricity Additives - DEA Amides <i>(Please inquire if not listed below)</i>				
Cola®Lube 3423	Nonionic	Water Dispersible	• Long-chain, naturally derived fatty acid amides • Used as a corrosion inhibitor, emulsifier, and lubricity additive	• Synthetic and semi-synthetic metal-working fluids • Cleaning fluid formulations
Cola®Lube CD-100	Nonionic	Water Dispersible	• Modified 2:1 DEA amides of long-chain fatty acids • Low foaming; good corrosion inhibition • Lubricity additive • Emulsifier • Corrosion inhibitor for ferrous and non-ferrous materials • Completely biodegradable	• Synthetic cutting and grinding fluids • Drawing compounds

Product Name	Ionic Character	Solubility	Chemistry, Properties and Performance Attributes	Applications
Lubricity Additives - DIPA Amides <i>(Please inquire if not listed below)</i>				
Cola®Liquid DC2	Nonionic	Water Dispersible	• A modified 2:1 fatty acid diisopropanolamide • Highly effective detergency • Highly effective wetting capability • Demonstrates controlled foaming	• Hard surface cleaners • Chain lubricants • Vibratory finishing compounds
Cola®Liquid DT	Nonionic	Water Dispersible	• 1:1 TOFA/DIPA amide • Outstanding emulsification capability • Good lubricity	• Metalworking fluids • Soluble oils • Synthetic and semi-synthetic metalworking fluids • Degreasers • Emulsifiable rust preventives
Cola®Liquid DT2	Nonionic	Water Dispersible	• 2:1 DIPA amides of long-chain, naturally derived fatty acid • Water dispersible • Alkalinity reserve • Good lubricity • Low-foam and stable emulsions in hard water • Oil-in-water or water-in-oil emulsifier	• Synthetic and semi-synthetic metalworking fluids • Soluble oils for stamping, drawing and machining

Lubricity Additives - Non-secondary Amine Alkanolamides

Cola®Lube 4715	Nonionic	Water Dispersible	• Long-chain fatty acid based DGA amide • Low foaming • Provides lubrication, corrosion protection, antiwear and EP properties • Non-staining to ferrous and non-ferrous metal while providing ferrous corrosion protection to formulations • Thickening property	• Soluble oils, semisynthetic and synthetic metal working fluids • Tapping, broaching, stamping, drilling and grinding
-----------------------	----------	-------------------	---	---

Lubricity Additives - Complex Fatty Esters

Cola®Lube 3430	Nonionic	Oil Soluble	• Polymerized polyol esters • Boundary lubricant • High affinity to multiple metal surfaces • Stabilizes the emulsion and develops a protective colloid • Synergy with EP (PE, SA, CP); non-staining to ferrous and non-ferrous metals • Best for ferrous material machining	• Semi-synthetic fluids and soluble oils • Cutting oils or deep drawing oils • Grinding, stamping, threading, and tapping applications • Good for the machining process of ferrous materials
Cola®Lube 3440	Anionic	Oil Soluble	• Polymerized naturally derived fatty acids • Lubricity booster • Good inhibition of corrosion on steel as well as inhibition of staining on aluminum	• Soluble oils, semi-synthetic, and neat oil metalworking fluids • Synthetic base fluid for rolling emulsions in mineral-oil free formulations • Good for aluminum machining process



Phosphate Esters

Wear and Extreme Pressure Protection Additives

Phosphate esters are well-known, multifunctional lubricant additives. They exhibit outstanding performance in corrosion and stain inhibition, wear and extreme pressure protection, and emulsification. Additionally, they can also offer detergency, hydrotrope, surface wetting, and boundary lubrication.

Phosphate esters have been widely used in metal cutting and grinding fluids, rolling oils, hydraulic fluids, lubricating oils, rust preventatives, and gear oils.

Colonial Chemical provides a comprehensive class of phosphate esters in free acid form or the alkali metal hydroxide or amine salts for applications in metalworking and metal cleaning.

Product Name	Ionic Character	Solubility	Chemistry, Properties and Performance Attributes	Applications
Phosphate Esters				
Cola®Lube 3404	Anionic	Oil Soluble	• Alkyl phosphate esters • In free acid form • Water soluble upon neutralization • Corrosion protection • Extreme pressure wear protection agents • Wetting agents	• Metal working fluids (emulsions, neat oil) • Rolling oils and emulsions • Fire-resistant hydraulic fluids (HFD, HFD-U) • Gear oils • Oilfield • Ink dispersants • Alkaline cleaning agents • Dispersing agent in pigment pastes • In metal pigment pastes the ester acts as a corrosion inhibitor • Surface treatment for the printing and coating industry
Cola®Lube 3406	Anionic	Water Dispersible	• Phenoxy phosphate esters • Water soluble upon neutralization with alkali metal hydroxides or alkanolamines • Very low-foaming • Extreme pressure properties; rust protection • Surface wetting	• Synthetic metalworking fluids, especially for grinding fluids • Alkali metal cleaners
Cola®Lube 3407	Anionic	Water Dispersible	• Long-chain alkoxyate phosphate esters • Soluble in paraffinic and naphthenic oil • Water soluble upon neutralization with alkali metal hydroxides or alkanolamines, or by the incorporation of water-soluble co-surfactants • Extreme pressure and lubricity additive • Wetting agent and corrosion inhibitor	• Synthetic, semi-synthetic, and soluble oil formulations • Useful in cutting, grinding, rolling oils, and liquid drawing compounds
Cola®Fax 3445	Anionic	Water dispersible	• Branched alkoxyate phosphate esters • Corrosion protection • Extreme-pressure wear protection • Emulsifier for the emulsion polymerization of monomers like pure acrylic, styrene-acrylic acid esters and vinyl acetate	• Waterborne latex paints and universal colorants • Metalworking fluids

Product Name	Ionic Character	Solubility	Chemistry, Properties and Performance Attributes	Applications
Phosphate Esters				
Cola®Fax 3376	Anionic	Water Soluble	• Phosphate esters of alkylphenyl ethoxylates • Extreme pressure wear protection, emulsifying, lubricating, antistatic, detergency and corrosion inhibiting properties • Low friction coefficient phosphate, rust protection for ferrous and non-ferrous metals • Reduced surface tension in high electrolyte solutions	• Water-soluble metal working lubricants and synthetic cutting fluids • Emulsion polymerization • Industrial cleaners • Herbicide and insecticide emulsifiers
Cola®Fax 3383	Anionic	Water Soluble	• Potassium neutralized phenoxy phosphate esters • Ultra low foaming • Hydrotrope and/or solubilizer • Extreme pressure and antiwear agent • Corrosion inhibitor • Boundary lubricant	• Low-foaming alkaline cleaners
Cola®Fax 3396	Anionic	Water Soluble	• Sodium hydroxide neutralized phenoxy ethoxylate phosphate esters • Low foaming • Offers lubricity, corrosion inhibition and high electrolyte compatibility, scale inhibition • Hydrotrope	• Metal cleaners • Chain lubricants • Corrosion inhibitors
Cola®Fax 3611	Anionic	Water Soluble	• Phenoxy phosphate esters • Low flash foam aromatic ethoxylated phosphate esters • Good stability in alkaline formulation • Provides effective hydrotrope properties in highly built liquid detergent formulations • Particularly useful as a solubilizer for nonionics and other surfactants in high electrolyte applications • Used as wetting agent • Excellent hard surface detergency • Low and high pH stability • Biodegradable	• Metal cleaning • Rinse aids in auto dish washing • Ion exchange resin cleaners • Pigment dispersions • Pulp and paper • Textile processing • Excellent hydrotrope for metal and CIP cleaning where very low foam is essential, carpet, food processing cleaning
Cola®Fax 3660	Anionic	Water Soluble	• Short-chain alkyl phosphate esters • Provides good wetting, detergency, hydrotrope, and electrolyte stability • Fully biodegradable • Corrosion inhibitor, anti-wear properties, surface wetting	• Metal cleaners • Industrial cleaners • Metalworking Fluids

Ether Carboxylates

By structure, ether carboxylates are chemically combined nonionic and anionic surfactants. Their structures and performance attributes are customizable by properly selecting hydrophobic alkyl chains and hydrophilic alkoxyate chains. Their unique structures enable their multifunctionality for emulsification, dispersing, surface wetting, corrosion inhibition, and lubrication. Additionally, ether carboxylates help stabilize emulsions against electrolyte and hard water and thus increase the lifetime of water-dilutable metalworking fluids. In general, they have low to medium foaming tendency and are biodegradable. They have been extensively used in metalworking fluids, i.e., soluble oils, semi-synthetic, rolling emulsions, hydraulic fluids, cleaners, enhanced crude oil recovery, personal care, paint and coatings, and some concrete applications.

Product Name	Ionic Character	Solubility	Chemistry, Properties and Performance Attributes	Applications
Ether Carboxylates				
Cola®Carb B2C	Anionic	Water Soluble	• Short-chain ether carboxylic acid • In free acid form • Extremely low foaming wetting agent • Stable to high acid and alkali • Need to be neutralized with alkanolamines and alkali hydroxides • Offers formulation flexibility	• Metalworking fluids • Metal cleaning • Bottle washing • Steam cleaning • Wax stripping • Cleaning of food plants and handling areas
Cola®Carb BEA	Anionic	Water Soluble	• Sodium hydroxide neutralized Cola®Carb B2C • Extremely low foaming wetting agent • Stable to high acid and alkali conditions • Need to be neutralized with alkanolamines and alkali hydroxides	• Metal cleaning • Bottle washing • Steam cleaning • Wax stripping • Cleaning of food plants and handling areas
Cola®Carb C9C	Anionic	Water Soluble	• Short-alkyl-chain and long-EO-chain ether carboxylic acid • Low foaming • Hydrotropic properties • Overall physico-chemical stability • Support the corrosion prevention • Hard water stable • Acid, alkaline, electrolyte stable • Reduces foam stability when used with foaming surfactants • Solubilizer for metalworking fluids	• Water-dilutable metalworking fluids • Metal cleaners
Cola®Carb H4C	Anionic	Water Soluble	• Short alkyl chain ether carboxylic acid • Solubilizer • Stabilizer • Electrolyte stability • Outstanding hard water stability • Soil dispersing properties • Foam control • Rinsing and cleaning chemical stability • Hydrotropic	• Water-dilutable metalworking fluids • Metal cleaners

Product Name	Ionic Character	Solubility	Chemistry, Properties and Performance Attributes	Applications
Ether Carboxylates				
Cola®Carb HC49C	Anionic	Water Soluble	• Short alkyl chain ether carboxylic acid blend • High emulsion capacity • Outstanding hard water tolerance • Bleach stable • Overall physico-chemically stable • Stable under acidic and alkaline conditions	• Water-dilutable metalworking fluids • Oil and gas • General detergents and cleaners
Cola®Carb M7C	Anionic	Water Soluble	• Branched medium chain and medium EO chain ether carboxylic acid • Medium to low foaming tendency • Good emulsification and dispersing properties • Excellent emulsification properties • Electrolyte and hard water stable • Outstanding lime soap dispersing properties	• Metalworking fluids • Fire resistant hydraulic fluids (HFAS) • Rolling emulsions
Cola®Carb TCAM	Anionic	Water Soluble	• Blends of ether carboxylic acids • Low to medium foaming tendency • Excellent emulsification properties • Electrolyte and hard water stable • Exceptional lime soap dispersing properties	• Metalworking fluids • Rolling emulsions • Fire resistant hydraulic fluids (HFAS) • Oil-based and water-based industrial lubricant formulations
Cola®Carb TDC	Anionic	Water Soluble	• Branched alkyl chain, medium EO chain ether carboxylic acid • Anionic stabilizer with optimal dispersing performance • Help increase the lifetime of water-dilutable metalworking fluids • Outstanding hard water stability and optimal lime soap dispersing power • Support of the corrosion prevention • Cleansing action • Mild anionic surfactant with hard water tolerance • Improves the storage stability of amphoteric formulations	• Metalworking fluids: cutting fluids • Alkaline cleaners • Personal care
Cola®Carb TDC-H	Anionic	Water Soluble	• Branched alkyl chain, medium EO chain ether carboxylic acid • Mild anionic surfactant with hard water tolerance • Improves the storage stability of amphoteric formulations • Powerful in lime soap dispersion • Stabilizer with good emulsifying properties, strong improvement of hard water stability (lime soap dispersing agent), moderately improves lubricity	• Metalworking fluids: i.e. cutting fluids • Cleaners • Personal care • Industrial fluids and lubricants (hydraulic fluids)
Cola®Carb O2C	Anionic	Water Soluble	• Long alkyl chain and short EO chain ether carboxylic acid • Excellent emulsification properties • Electrolyte and hard water stable • Low foaming • Good corrosion protection	• Metalworking fluids (emulsions, semisynthetic, synthetic) • Fire resistant hydraulic fluids • Rolling emulsions • Enhanced crude oil recovery

Ether Carboxylates

Cola®Carb OSC	Anionic	Water Soluble	• Long alkyl chain and medium EO chain ether carboxylic acid • Offers hard water stability and high limesoap dispersing power • Chemically stable • Supports corrosion prevention • Combined non-ionic and anionic emulsifier for use in metalworking fluids and dispersing lime soap • Provides cleansing and lubricating action	• Water-dilutable metalworking fluids (emulsions, semi-synthetic, and synthetic) • Fire resistant hydraulic fluids (HFA-S) • Rolling emulsions
Cola®Carb OXC	Anionic	Water Soluble	• Long alkyl chain and long EO chain ether carboxylic acid • Moderate to high-foaming ether carboxylic acid with excellent emulsification and dispersing properties • Electrolyte and hard water stable • Very good lime soap dispersing properties	• Metalworking fluids • Rolling emulsions • Fire resistant hydraulic fluids (HFAS) • Oil-based and water-based industrial lubricant formulations



Contact us today.

One of our customer service representatives or technical advisors will be happy to help you locate the right product you need with specifications, formulations and product samples upon request.

www.colonialchem.com



Colonial Chemical

www.colonialchem.com

Innovative Specialty Surfactants